

Legend


- River Network
- Flood Defences
- National Park Boundaries
- Settlement Boundaries
- Surface Water Flood - Extent
- Estimated 1 in 100 Annual Chance Events with Climate Change
- NRW Flood Map Flood Zone 2
- SMP2 Flood Extent plus 2m Sea Level Rise

LDP Allocation Sites 2019


- High Risk >50% Site Area Flooded
- Medium High Risk >25% to <50% Site Area Flooded
- Medium Risk >5% to <25% Site Area Flooded
- Low Risk <5% Site Area Flooded

- Notes:**
- NRW Flood Zone 2 - Assumed to approximate to 1 in 100 (1%) annual chance event with climate change.
 - The Surface Water Flood Extents are based on NRW's updated Flood Map for Surface Water (FMSW) For future climate change scenario, a broad scale assumption has been made for Stage 1 screening:
 - Current 1 in 1000 (0.1%) annual chance flood outline becomes 1 in 100 (1%) with climate change.
 - Shoreline Management Plan 2 data - Flood extent is current 1 in 1000 (0.1%) tidal event plus 2m Sea Level Rise (SLR). This dataset does not extend north of Nolton Haven on Pembroke's west coast.
 - The maximum 0.5% annual change or greater extreme tide level plus sea level rise is 6.9m. A coarse 7m contour (not shown) has also been used to screen tide risk for coastal sites - see Stage 1 SFCR Report.

Risk Category	Criteria Description (at least one of the following criteria is met)	Category Overview
High	<ul style="list-style-type: none"> Greater than 50% of the site's plan area is: <ul style="list-style-type: none"> Within Flood Zone 2 (Note 1) Within Surface Water Flood Extent (Note 2) Within SMP2 - Flood extent with 2m SLR (Note 3) Below 7m contour at the coast (Note 4) Known history of flooding on the site 	<ul style="list-style-type: none"> The percentage of the site area flooded gives a screening level indication of how much of the site may be impacted by flooding criteria (TA15.1.1.1) Further analytical work will be needed to understand the flood risk at the site The underlying evidence base may need updating
Medium High	<ul style="list-style-type: none"> Greater than 25% up to 50% of the site's plan area is: <ul style="list-style-type: none"> Within Flood Zone 2 (Note 1) Within Surface Water Flood Extent (Note 2) Within SMP2 - Flood extent with 2m SLR (Note 3) Below 7m contour at the coast (Note 4) 	
Medium	<ul style="list-style-type: none"> Up to 25% of the site's plan area is: <ul style="list-style-type: none"> Within Flood Zone 2 (Note 1) Within Surface Water Flood Extent (Note 2) Within SMP2 - Flood extent with 2m SLR (Note 3) Below 7m contour at the coast (Note 4) 	
Low	<ul style="list-style-type: none"> Less than 5% of the site's plan area is within: <ul style="list-style-type: none"> Flood Zone 2 (Note 1) Surface Water Flood Extent (Note 2) SMP2 - Flood Extent with 2m SLR (Note 3) The area below the 7m contour at the coast (Note 4) No history of flooding in the site 	<ul style="list-style-type: none"> Based on criteria description, flood risk in the area is likely to be adequately managed Development likely to proceed subject to agreement for the SuDS Approval Bond Flood Risk to the site access routes and compliance with TA15.1 will need to be confirmed



Data sources: Ordnance Survey, NRW, Carmarthenshire County Council, Pembroke County Council



Status: S2	Drawn: UK/NJ 13/06/2019	Checked: LG/DMH 13/06/2019	Authorised: DBF 13/06/2019
Reference: 5186360-ATK-XX-XX-MP-G-089	Version: PO3		